

|          | Primary Diagnosis Codes |   |  |
|----------|-------------------------|---|--|
| Region   | ICD10                   | Description   |  |
| Head     | M99.00                  | Segmental and somatic dysfunction of head region              |  |
| Cervical | M99.01                  | Segmental and somatic dysfunction of cervical region          |  |
|          | S13.110A                | Subluxation of CO/C1 cervical vertebrae, initial encounter    |  |
|          | S13.110D                | Subluxation of CO/C1 cervical vertebrae, subsequent encounter |  |
|          | S13.110S                | Subluxation of CO/C1 cervical vertebrae, sequela              |  |
|          | S13.120A                | Subluxation of C1/C2 cervical vertebrae, initial encounter    |  |
|          | S13.120D                | Subluxation of C1/C2 cervical vertebrae, subsequent encounter |  |
|          | S13.120S                | Subluxation of C1/C2 cervical vertebrae, sequela              |  |
|          | S13.130A                | Subluxation of C2/C3 cervical vertebrae, initial encounter    |  |
|          | S13.130D                | Subluxation of C2/C3 cervical vertebrae, subsequent encounter |  |
|          | S13.130S                | Subluxation of C2/C3 cervical vertebrae, sequela              |  |
|          | S13.140A                | Subluxation of C3/C4 cervical vertebrae, initial encounter    |  |
|          | S13.140D                | Subluxation of C3/C4 cervical vertebrae, subsequent encounter |  |
|          | S13.140S                | Subluxation of C3/C4 cervical vertebrae, sequela              |  |
|          | S13.150A                | Subluxation of C4/C5 cervical vertebrae, initial encounter    |  |
|          | S13.150D                | Subluxation of C4/C5 cervical vertebrae, subsequent encounter |  |
|          | S13.150S                | Subluxation of C4/C5 cervical vertebrae, sequela              |  |
|          | S13.160A                | Subluxation of C5/C6 cervical vertebrae, initial encounter    |  |
|          | S13.160D                | Subluxation of C5/C6 cervical vertebrae, subsequent encounter |  |
|          | S13.160S                | Subluxation of C5/C6 cervical vertebrae, sequela              |  |
|          | S13.170A                | Subluxation of C6/C7 cervical vertebrae, initial encounter    |  |
|          | S13.170D                | Subluxation of C6/C7 cervical vertebrae, subsequent encounter |  |
|          | S13.170S                | Subluxation of C6/C7 cervical vertebrae, sequela              |  |
|          | S13.180A                | Subluxation of C7/T1 cervical vertebrae, initial encounter    |  |
|          | S13.180D                | Subluxation of C7/T1 cervical vertebrae, subsequent encounter |  |
|          | S13.180S                | Subluxation of C7/T1 cervical vertebrae, sequela              |  |
|          |                         |   |  |
| Thoracic | M99.02                  | Segmental and somatic dysfunction of thoracic region          |  |
|          | S23.110A                | Subluxation of T1/T2 thoracic vertebra, initial encounter     |  |
|          | S23.110D                | Subluxation of T1/T2 thoracic vertebra, subsequent encounter  |  |
|          | S23.110S                | Subluxation of T1/T2 thoracic vertebra, sequela               |  |
|          | S23.120A                | Subluxation of T2/T3 thoracic vertebra, initial encounter     |  |
|          | S23.120D                | Subluxation of T2/T3 thoracic vertebra, subsequent encounter  |  |
|          | S23.120S                | Subluxation of T2/T3 thoracic vertebra, sequela               |  |
|          | S23.122A                | Subluxation of T3/T4 thoracic vertebra, initial encounter     |  |
|          | S23.122D                | Subluxation of T3/T4 thoracic vertebra, subsequent encounter  |  |
|          | S23.122S                | Subluxation of T3/T4 thoracic vertebra, sequela               |  |
|          | S23.130A                | Subluxation of T4/T5 thoracic vertebra, initial encounter     |  |
|          | S23.130D                | Subluxation of T4/T5 thoracic vertebra, subsequent encounter  |  |
|          | S23.130S                | Subluxation of T4/T5 thoracic vertebra, sequela               |  |



| Primary Diagnosis Codes |          |   |
|-------------------------|----------|---|
| Region                  | ICD10    | Description   |
| Thoracic                | S23.132A | Subluxation of T5/T6 thoracic vertebra, initial encounter     |
|                         | S23.132D | Subluxation of T5/T6 thoracic vertebra, subsequent encounter  |
|                         | S23.132S | Subluxation of T5/T6 thoracic vertebra, sequela               |
|                         | S23.140A | Subluxation of T6/T7 thoracic vertebra, initial encounter     |
|                         | S23.140D | Subluxation of T6/T7 thoracic vertebra, subsequent encounter  |
|                         | S23.140S | Subluxation of T6/T7 thoracic vertebra, sequela               |
|                         | S23.142A | Subluxation of T7/T8 thoracic vertebra, initial encounter     |
|                         | S23.142D | Subluxation of T7/T8 thoracic vertebra, subsequent encounter  |
|                         | S23.142S | Subluxation of T7/T8 thoracic vertebra, sequela               |
|                         | S23.150A | Subluxation of T8/T9 thoracic vertebra, initial encounter     |
|                         | S23.150D | Subluxation of T8/T9 thoracic vertebra, subsequent encounter  |
|                         | S23.150S | Subluxation of T8/T9 thoracic vertebra, sequela               |
|                         | S23.152A | Subluxation of T9/T10 thoracic vertebra, initial encounter    |
|                         | S23.152D | Subluxation of T9/T10 thoracic vertebra, subsequent encounter |
|                         | S23.152S | Subluxation of T9/T10 thoracic vertebra, sequela              |
|                         | S23.160A | Subluxation of T10/T11 thoracic vertebra, initial encounter   |
|                         |          | Subluxation of T10/T11 thoracic vertebra, subsequent          |
|                         | S23.160D | encounter   |
|                         | S23.160S | Subluxation of T10/T11 thoracic vertebra, sequela             |
|                         | S23.162A | Subluxation of T11/T12 thoracic vertebra, initial encounter   |
|                         |          | Subluxation of T11/T12 thoracic vertebra, subsequent          |
|                         | S23.162D | encounter   |
|                         | S23.162S | Subluxation of T11/T12 thoracic vertebra, sequela             |
|                         | S23.170A | Subluxation of T12/L1 thoracic vertebra, initial encounter    |
|                         | S23.170D | Subluxation of T12/L1 thoracic vertebra, subsequent encounter |
|                         | S23.170S | Subluxation of T12/L1 thoracic vertebra, sequela              |
|                         | S23.132A | Subluxation of T5/T6 thoracic vertebra, initial encounter     |
|                         | S23.132D | Subluxation of T5/T6 thoracic vertebra, subsequent encounter  |
|                         | S23.132S | Subluxation of T5/T6 thoracic vertebra, sequela               |
|                         | S23.140A | Subluxation of T6/T7 thoracic vertebra, initial encounter     |
|                         | S23.140D | Subluxation of T6/T7 thoracic vertebra, subsequent encounter  |
|                         | S23.140S | Subluxation of T6/T7 thoracic vertebra, sequela               |
|                         | S23.142A | Subluxation of T7/T8 thoracic vertebra, initial encounter     |
|                         | S23.142D | Subluxation of T7/T8 thoracic vertebra, subsequent encounter  |
|                         | S23.142S | Subluxation of T7/T8 thoracic vertebra, sequela               |
|                         | S23.150A | Subluxation of T8/T9 thoracic vertebra, initial encounter     |
|                         | S23.150D | Subluxation of T8/T9 thoracic vertebra, subsequent encounter  |
|                         | S23.150S | Subluxation of T8/T9 thoracic vertebra, sequela               |
|                         | S23.152A | Subluxation of T9/T10 thoracic vertebra, initial encounter    |
|                         | S23.152D | Subluxation of T9/T10 thoracic vertebra, subsequent encounter |
|                         | S23.152S | Subluxation of T9/T10 thoracic vertebra, sequela              |
|                         | S23.160A | Subluxation of T10/T11 thoracic vertebra, initial encounter   |



| Primary Diagnosis Codes |          |  |
|-------------------------|----------|--|
| Region                  | ICD10    | Description  |
| Lumbar                  | M99.03   | Segmental and somatic dysfunction of lumbar region         |
|                         | S33.110A | Subluxation of L1/L2 lumbar vertebra, initial encounter    |
|                         | S33.110D | Subluxation of L1/L2 lumbar vertebra, subsequent encounter |
|                         | S33.110S | Subluxation of L1/L2 lumbar vertebra, sequela              |
|                         | S33.120A | Subluxation of L2/L3 lumbar vertebra, initial encounter    |
|                         | S33.120D | Subluxation of L2/L3 lumbar vertebra, subsequent encounter |
|                         | S33.120S | Subluxation of L2/L3 lumbar vertebra, sequela              |
|                         | S33.130A | Subluxation of L3/L4 lumbar vertebra, initial encounter    |
|                         | S33.130D | Subluxation of L3/L4 lumbar vertebra, susequent encounter  |
|                         | S33.130S | Subluxation of L3/L4 lumbar vertebra, sequela              |
|                         | S33.140A | Subluxation of L4/L5 lumbar vertebra, initial encounter    |
|                         | S33.140D | Subluxation of L4/L5 lumbar vertebra, subsequent encounter |
|                         | S33.140S | Subluxation of L4/L5 lumbar vertebra, sequela              |
|                         |          |  |
| Sacral                  | M99.04   | Segmental and somatic dysfunction of sacral region         |
|                         |          |  |
| Pelvic                  | M99.05   | Segmental and somatic dysfunction of pelvic region         |
|                         |          |  |
| Other regions           | M99.06   | Segmental and somatic dysfunction of lower extremity       |
|                         | M99.07   | Segmental and somatic dysfunction of upper extremity       |
|                         | M99.08   | Segmental and somatic dysfunction of rib cage              |
|                         |          | Segmental and somatic dysfunction of abdomen and other     |
|                         | M99.09   | regions  |



|         | Category I Diagnosis Codes  |
|---------|---|
| ICD10   | Description   |
| G44.1   | Vascular headache, not elsewhere classified   |
| G43.001 | Migraine without aura, not intractable, with status migrainosus                       |
| G43.009 | Migraine without aura, not intractable, without status migrainosus                    |
| G43.011 | Migraine without aura, intractable, with status migrainosus                           |
| G43.019 | Migraine without aura, intractable, without status migrainosus                        |
| G43.101 | Migraine with aura, not intractable, with status migrainosus                          |
| G43.109 | Migraine with aura, not intractable, without status migrainosus                       |
| G43.111 | Migraine with aura, intractable, with status migrainosus                              |
| G43.119 | Migraine with aura, intractable, without status migrainosus                           |
| G43.401 | Hemiplegic migraine, not intractable, with status migrainosus                         |
| G43.409 | Hemiplegic migraine, not intractable, without status migrainosus                      |
| G43.411 | Hemiplegic migraine, intractable, with status migrainosus                             |
| G43.419 | Hemiplegic migraine, intractable, without status migrainosus                          |
|         | Persistent migraine aura without cerebral infarction, not intractable, with status    |
| G43.501 | migrainosus   |
|         | Persistent migraine aura without cerebral infarction, not intractable, without status |
| G43.509 | migrainosus   |
|         | Persistent migraine aura without cerebral infarction, intractable, with status        |
| G43.511 | migrainosus   |
|         | Persistent migraine aura without cerebral infarction, intractable, without status     |
| G43.519 | migrainosus   |
| G43.701 | Chronic migraine without aura, not intractable, with status migrainosus               |
| G43.709 | Chronic migraine without aura, not intractable, without status migrainosus            |
| G43.711 | Chronic migraine without aura, intractable, with status migrainosus                   |
| G43.719 | Chronic migraine without aura, intractable, without status migrainosus                |
| G44.211 | Episodic tension-type headache, intractable   |
| M47.811 | Spondylosis without myelopathy or radiculopathy, occipito-atlanto-axial region        |
| M47.812 | Spondylosis without myelopathy or radiculopathy, cervical region                      |
| M47.813 | Spondylosis without myelopathy or radiculopathy, cervicothoracic region               |
| M47.814 | Spondylosis without myelopathy or radiculopathy, thoracic region                      |
| M47.815 | Spondylosis without myelopathy or radiculopathy, thoracolumbar region                 |
| M47.816 | Spondylosis without myelopathy or radiculopathy, lumbar region                        |
| M47.817 | Spondylosis without myelopathy or radiculopathy, lumbosacral region                   |
| M47.818 | Spondylosis without myelopathy or radiculopathy, sacral and sacrococcygeal region     |
| M54.2   | Cervicalgia   |
| M54.5   | Low back pain   |
| M54.6   | Pain in thoracic spine  |
| M54.81  | Occipital neuralgia   |
| M54.89  | Other dorsalgia   |
| R51     | Headache  |



|         | Category II Diagnosis Codes   |
|---------|---|
| ICD10   | Description   |
| G54.0   | Brachial plexus disorders   |
| G54.1   | Lumbosacral plexus disorders  |
| G55     | Nerve root and plexus compressions in diseases classified elsewhere |
| M40.03  | Postural kyphosis, cervicothoracic region                           |
| M40.04  | Postural kyphosis, thoracic region                                  |
| M40.05  | Postural kyphosis, thoracolumbar region                             |
| M40.35  | Flatback syndrome, thoracolumbar region                             |
| M40.36  | Flatback syndrome, lumbar region                                    |
| M40.37  | Flatback syndrome, lumbosacral region                               |
| M41.112 | Juvenile idiopathic scoliosis, cervical region                      |
| M41.113 | Juvenile idiopathic scoliosis, cervicothoracic region               |
| M41.114 | Juvenile idiopathic scoliosis, thoracic region                      |
| M41.115 | Juvenile idiopathic scoliosis, thoracolumbar region                 |
| M41.116 | Juvenile idiopathic scoliosis, lumbar region                        |
| M41.117 | Juvenile idiopathic scoliosis, lumbosacral region                   |
| M41.122 | Adolescent idiopathic scoliosis, cervical region                    |
| M41.123 | Adolescent idiopathic scoliosis, cervicothoracic region             |
| M41.124 | Adolescent idiopathic scoliosis, thoracic region                    |
| M41.125 | Adolescent idiopathic scoliosis, thoracic region                    |
| M41.126 | Adolescent idiopathic scoliosis, lumbar region                      |
| M41.127 | Adolescent idiopathic scoliosis, lumbosacral region                 |
| M41.34  | Thoracogenic scoliosis, thoracic region                             |
| M41.35  | Thoracogenic scoliosis, thoracolumbar region                        |
| M41.41  | Neuromuscular scoliosis, occipito-atlanto-axial region              |
| M41.42  | Neuromuscular scoliosis, cervical region                            |
| M41.43  | Neuromuscular scoliosis, cervicothoracic region                     |
| M41.44  | Neuromuscular scoliosis, thoracic region                            |
| M41.45  | Neuromuscular scoliosis, thoracolumbar region                       |
| M41.46  | Neuromuscular scoliosis, lumbar region                              |
| M41.47  | Neuromuscular scoliosis, lumbosacral region                         |
| M43.01  | Spondylolysis, occipito-atlanto-axial region                        |
| M43.02  | Spondylolysis, cervical region                                      |
| M43.03  | Spondylolysis, cervicothoracic region                               |
| M43.04  | Spondylolysis, thoracic region                                      |
| M43.05  | Spondylolysis, thoracolumbar region                                 |
| M43.06  | Spondylolysis, lumbar region  |
| M43.07  | Spondylolysis, lumbosacral region                                   |
| M43.08  | Spondylolysis, sacral and sacrococcygeal region                     |
| M43.11  | Spondylolisthesis, occipito-atlanto-axial region                    |



|         | Category II Diagnosis Codes  |
|---------|--|
| ICD10   | Description  |
| M43.12  | Spondylolisthesis, cervical region                                       |
| M43.13  | Spondylolisthesis, cervicothoracic region                                |
| M43.14  | Spondylolisthesis, thoracic region                                       |
| M43.15  | Spondylolisthesis, thoracolumbar region                                  |
| M43.16  | Spondylolisthesis, lumbar region   |
| M43.17  | Spondylolisthesis, lumbosacral region                                    |
| M43.18  | Spondylolisthesis, sacral and sacrococcygeal region                      |
| M43.19  | Spondylolisthesis, multiple sites in spine                               |
| M43.6   | Torticollis  |
| M46.01  | Spinal enthesopathy, occipito-atlanto-axial region                       |
| M46.02  | Spinal enthesopathy, cervical region                                     |
| M46.03  | Spinal enthesopathy, cervicothoracic region                              |
| M46.04  | Spinal enthesopathy, thoracic region                                     |
| M46.05  | Spinal enthesopathy, thoracolumbar region                                |
| M46.06  | Spinal enthesopathy, lumbar region                                       |
| M46.07  | Spinal enthesopathy, lumbosacral region                                  |
| M46.08  | Spinal enthesopathy, sacral and sacrococcygeal region                    |
| M46.09  | Spinal enthesopathy, multiple sites in spine                             |
| M48.01  | Spinal stenosis, occipito-atlanto-axial region                           |
| M48.02  | Spinal stenosis, cervical region   |
| M48.03  | Spinal stenosis, cervicothoracic region                                  |
| M48.04  | Spinal stenosis, thoracic region   |
| M48.05  | Spinal stenosis, thoracolumbar region                                    |
| M48.061 | Spinal stenosis, lumbar region without neurogenic claudication           |
| M48.062 | Spinal stenosis, lumbar region with neurogenic claudication              |
| M48.07  | Spinal stenosis, lumbosacral region                                      |
| M48.08  | Spinal stenosis, sacral and sacrococcygeal region                        |
| M48.11  | Ankylosing hyperostosis [Forestier], occipito-atlanto-axial region       |
| M48.12  | Ankylosing hyperostosis [Forestier], cervical region                     |
| M48.13  | Ankylosing hyperostosis [Forestier], cervicothoracic region              |
| M48.14  | Ankylosing hyperostosis [Forestier], thoracic region                     |
| M48.15  | Ankylosing hyperostosis [Forestier], thoracolumbar region                |
| M48.16  | Ankylosing hyperostosis [Forestier], lumbar region                       |
| M48.17  | Ankylosing hyperostosis [Forestier], lumbosacral region                  |
| M48.18  | Ankylosing hyperostosis [Forestier], sacral and sacrococcygeal region    |
| M48.19  | Ankylosing hyperostosis [Forestier], multiple sites in spine             |
| M50.11  | Cervical disc disorder with radiculopathy, occipito-atlanto-axial region |
| M50.121 | Cervical disc disorder at C4-C5 level with radiculopathy                 |
| M50.122 | Cervical disc disorder at C5-C6 level with radiculopathy                 |
| M50.123 | Cervical disc disorder at C6-C7 level with radiculopathy                 |



| Category II Diagnosis Codes |  |  |
|-----------------------------|--|--|
| ICD10                       | Description  |  |
| M50.13                      | Cervical disc disorder with radiculopathy, cervicothoracic region      |  |
| M50.31                      | Other cervical disc degeneration, occipito-atlanto-axial region        |  |
| M50.321                     | Other cervical disc degeneration at C4-C5 level                        |  |
| M50.323                     | Other cervical disc degeneration at C6-C7 level                        |  |
| M50.33                      | Other cervical disc degeneration, cervicothoracic region               |  |
| M51.04                      | Intervertebral disc disorders with myelopathy, thoracic region         |  |
| M51.05                      | Intervertebral disc disorders with myelopathy, thoracolumbar region    |  |
| M51.06                      | Intervertebral disc disorders with myelopathy, lumbar region           |  |
| M51.14                      | Intervertebral disc disorders with radiculopathy, thoracic region      |  |
| M51.15                      | Intervertebral disc disorders with radiculopathy, thoracolumbar region |  |
| M51.16                      | Intervertebral disc disorders with radiculopathy, lumbar region        |  |
| M51.17                      | Intervertebral disc disorders with radiculopathy, lumbosacral region   |  |
| M53.0                       | Cervicocranial syndrome  |  |
| M53.1                       | Cervicobrachial syndrome   |  |
| M54.11                      | Radiculopathy, occipito-atlanto-axial region                           |  |
| M54.12                      | Radiculopathy, cervical region   |  |
| M54.13                      | Radiculopathy, cervicothoracic region                                  |  |
| M54.14                      | Radiculopathy, thoracic region   |  |
| M54.15                      | Radiculopathy, thoracolumbar region                                    |  |
| M54.16                      | Radiculopathy, lumbar region   |  |
| M54.17                      | Radiculopathy, lumbosacral region                                      |  |
| M54.18                      | Radiculopathy, sacral and sacrococcygeal region                        |  |
| M62.830                     | Muscle spasm of back   |  |
| M72.0                       | Palmar fascial fibromatosis [Dupuytren]                                |  |
| M72.2                       | Plantar fascial fibromatosis   |  |
| M79.11                      | Myalgia of mastication muscle  |  |
| M79.12                      | Myalgia of auxilliary muscles, head and neck                           |  |
| M79.601                     | Pain in right arm  |  |
| M79.602                     | Pain in left arm   |  |
| M79.604                     | Pain in right leg  |  |
| M79.605                     | Pain in left leg   |  |
| M79.7                       | Fibromyalgia   |  |
| M99.10                      | Subluxation complex (vertebral) of head region                         |  |
| M99.11                      | Subluxation complex (vertebral) of cervical region                     |  |
| M99.12                      | Subluxation complex (vertebral) of thoracic region                     |  |
| M99.13                      | Subluxation complex (vertebral) of lumbar region                       |  |



|        | Category II Diagnosis Codes   |
|--------|---|
| ICD10  | Description   |
| M99.14 | Subluxation complex (vertebral) of sacral region                        |
| M99.15 | Subluxation complex (vertebral) of pelvic region                        |
| M99.16 | Subluxation complex (vertebral) of lower extremity                      |
| M99.17 | Subluxation complex (vertebral) of upper extremity                      |
| M99.18 | Subluxation complex (vertebral) of rib cage                             |
| M99.19 | Subluxation complex (vertebral) of abdomen and other regions            |
| M99.20 | Subluxation stenosis of neural canal of head region                     |
| M99.21 | Subluxation stenosis of neural canal of cervical region                 |
| M99.22 | Subluxation stenosis of neural canal of thoracic region                 |
| M99.23 | Subluxation stenosis of neural canal of lumbar region                   |
| M99.24 | Subluxation stenosis of neural canal of sacral region                   |
| M99.25 | Subluxation stenosis of neural canal of pelvic region                   |
| M99.26 | Subluxation stenosis of neural canal of lower extremity                 |
| M99.27 | Subluxation stenosis of neural canal of upper extremity                 |
| M99.28 | Subluxation stenosis of neural canal of rib cage                        |
| M99.29 | Subluxation stenosis of neural canal of abdomen and other regions       |
| M99.30 | Osseous stenosis of neural canal of head region                         |
| M99.31 | Osseous stenosis of neural canal of cervical region                     |
| M99.32 | Osseous stenosis of neural canal of thoracic region                     |
| M99.33 | Osseous stenosis of neural canal of lumbar region                       |
| M99.34 | Osseous stenosis of neural canal of sacral region                       |
| M99.35 | Osseous stenosis of neural canal of pelvic region                       |
| M99.36 | Osseous stenosis of neural canal of lower extremity                     |
| M99.37 | Osseous stenosis of neural canal of upper extremity                     |
| M99.38 | Osseous stenosis of neural canal of rib cage                            |
| M99.39 | Osseous stenosis of neural canal of abdomen and other regions           |
| M99.40 | Connective tissue stenosis of neural canal of head region               |
| M99.41 | Connective tissue stenosis of neural canal of cervical region           |
| M99.42 | Connective tissue stenosis of neural canal of thoracic region           |
| M99.43 | Connective tissue stenosis of neural canal of lumbar region             |
| M99.44 | Connective tissue stenosis of neural canal of sacral region             |
| M99.45 | Connective tissue stenosis of neural canal of pelvic region             |
| M99.46 | Connective tissue stenosis of neural canal of lower extremity           |
| M99.47 | Connective tissue stenosis of neural canal of upper extremity           |
| M99.48 | Connective tissue stenosis of neural canal of rib cage                  |
| M99.49 | Connective tissue stenosis of neural canal of abdomen and other regions |
| M99.50 | Intervertebral disc stenosis of neural canal of head region             |
| M99.51 | Intervertebral disc stenosis of neural canal of cervical region         |
| M99.52 | Intervertebral disc stenosis of neural canal of thoracic region         |
| M99.53 | Intervertebral disc stenosis of neural canal of lumbar region           |



|           | Category II Diagnosis Codes   |
|-----------|---|
| ICD10     | Description   |
| M99.54    | Intervertebral disc stenosis of neural canal of sacral region   |
| M99.55    | Intervertebral disc stenosis of neural canal of pelvic region   |
| M99.56    | Intervertebral disc stenosis of neural canal of lower extremity   |
| M99.57    | Intervertebral disc stenosis of neural canal of upper extremity   |
| M99.58    | Intervertebral disc stenosis of neural canal of rib cage  |
| M99.59    | Intervertebral disc stenosis of neural canal of abdomen and other regions                                   |
| M99.60    | Osseous and subluxation stenosis of intervertebral foramina of head region                                  |
| M99.61    | Osseous and subluxation stenosis of intervertebral foramina of cervical region                              |
| M99.62    | Osseous and subluxation stenosis of intervertebral foramina of thoracic region                              |
| M99.63    | Osseous and subluxation stenosis of intervertebral foramina of thorace region                               |
| M99.64    | Osseous and subluxation stenosis of intervertebral foramina of sacral region                                |
| M99.65    | Osseous and subluxation steriosis of intervertebral foramina of sacrafregion                                |
| M99.66    | ·   |
|           | Osseous and subluxation stenosis of intervertebral foramina of lower extremity                              |
| M99.67    | Osseous and subluxation stenosis of intervertebral foramina of upper extremity                              |
| M99.68    | Osseous and subluxation stenosis of intervertebral foramina of rib cage                                     |
|           | Osseous and subluxation stenosis of intervertebral foramina of abdomen and other                            |
| M99.69    | regions   |
| M99.70    | Connective tissue and disc stenosis of intervertebral foramina of head region                               |
| M99.71    | Connective tissue and disc stenosis of intervertebral foramina of cervical region                           |
| M99.72    | Connective tissue and disc stenosis of intervertebral foramina of thoracic region                           |
| M99.73    | Connective tissue and disc stenosis of intervertebral foramina of lumbar region                             |
| M99.74    | Connective tissue and disc stenosis of intervertebral foramina of sacral region                             |
| M99.75    | Connective tissue and disc stenosis of intervertebral foramina of pelvic region                             |
| M99.76    | Connective tissue and disc stenosis of intervertebral foramina of lower extremity                           |
| M99.77    | Connective tissue and disc stenosis of intervertebral foramina of upper extremity                           |
| M99.78    | Connective tissue and disc stenosis of intervertebral foramina of rib cage                                  |
|           | Connective tissue and disc stenosis of intervertebral foramina of abdomen and other                         |
| M99.79    | regions   |
| Q76.2     | Congenital spondylolisthesis  |
| S13.4XXA  | Sprain of ligaments of cervical spine, initial encounter  |
| S13.4XXD  | Sprain of ligaments of cervical spine, subsequent encounter   |
| S13.4XXS  | Sprain of ligaments of cervical spine, sequela  |
| S13.8XXA  | Sprain of joints and ligaments of other parts of neck, initial encounter                                    |
| S13.8XXD  | Sprain of joints and ligaments of other parts of neck, subsequent encounter                                 |
| S13.8XXS  | Sprain of joints and ligaments of other parts of neck, sequela  |
| S16.1XXA  | Strain of muscle, fascia and tendon at neck level, initial encounter  |
| S16.1XXD  | Strain of muscle, fascia and tendon at neck level, subsequent encounter                                     |
| S16.1XXS  | Strain of muscle, fascia and tendon at neck level, sequela  |
| S23.3XXA  | Sprain of ligaments of thoracic spine, initial encounter  |
| S23.3XXD  | Sprain of ligaments of thoracic spine, subsequent encounter   |
| S23.3XXS  | Sprain of ligaments of thoracic spine, saddequent encounter  Sprain of ligaments of thoracic spine, sequela |
| J2J.J//\J | Sprain of figuricities of thoracic spiric, sequeta  |



| Category II Diagnosis Codes |   |  |
|-----------------------------|---|--|
| ICD10                       | Description   |  |
| S23.8XXA                    | Sprain of other specified parts of thorax, initial encounter    |  |
| S23.8XXD                    | Sprain of other specified parts of thorax, subsequent encounter |  |
| S23.8XXS                    | Sprain of other specified parts of thorax, sequela              |  |
| S33.5XXA                    | Sprain of ligaments of lumbar spine, initial encounter          |  |
| S33.5XXD                    | Sprain of ligaments of lumbar spine, subsequent encounter       |  |
| S33.5XXS                    | Sprain of ligaments of lumbar spine, sequela                    |  |
| S33.6XXA                    | Sprain of sacroiliac joint, initial encounter                   |  |
| S33.6XXD                    | Sprain of sacroiliac joint, subsequent encounter                |  |
| S33.6XXS                    | Sprain of sacroiliac joint, sequela                             |  |
| S23.8XXA                    | Sprain of other specified parts of thorax, initial encounter    |  |
| S23.8XXD                    | Sprain of other specified parts of thorax, subsequent encounter |  |
| S23.8XXS                    | Sprain of other specified parts of thorax, sequela              |  |
| S33.5XXA                    | Sprain of ligaments of lumbar spine, initial encounter          |  |
| S33.5XXD                    | Sprain of ligaments of lumbar spine, subsequent encounter       |  |
| S33.5XXS                    | Sprain of ligaments of lumbar spine, sequela                    |  |
| S33.6XXA                    | Sprain of sacroiliac joint, initial encounter                   |  |
| S33.6XXD                    | Sprain of sacroiliac joint, subsequent encounter                |  |
| S33.6XXS                    | Sprain of sacroiliac joint, sequela                             |  |



|         | Category III Diagnosis Codes                                 |
|---------|--|
| ICD10   | Description  |
| M48.31  | Traumatic spondylopathy, occipito-atlanto-axial region       |
| M48.32  | Traumatic spondylopathy, cervical region                     |
| M48.33  | Traumatic spondylopathy, cervicothoracic region              |
| M48.34  | Traumatic spondylopathy, thoracic region                     |
| M48.35  | Traumatic spondylopathy, thoracolumbar region                |
| M48.36  | Traumatic spondylopathy, lumbar region                       |
| M48.37  | Traumatic spondylopathy, lumbosacral region                  |
| M48.38  | Traumatic spondylopathy, sacral and sacrococcygeal region    |
| M50.021 | Cervical disc disorder at C4-C5 level with myelopathy        |
| M50.022 | Cervical disc disorder at C5-C6 level with myelopathy        |
| M50.023 | Cervical disc disorder at C6-C7 level with myelopathy        |
| M50.21  | Other cervical disc displacement, high cervical region       |
| M50.221 | Other cervical disc displacement at C4-C5 level              |
| M50.222 | Other cervical disc displacement at C5-C6 level              |
| M50.223 | Other cervical disc displacement at C6-C7 level              |
| M50.23  | Other cervical disc displacement, cervicothoracic region     |
| M50.322 | Other cervical disc degeneration at C5-C6 level              |
| M51.24  | Other intervertebral disc displacement, thoracic region      |
| M51.25  | Other intervertebral disc displacement, thoracolumbar region |
| M51.26  | Other intervertebral disc displacement, lumbar region        |
| M51.27  | Other intervertebral disc displacement, lumbosacral region   |
| M51.34  | Other intervertebral disc degeneration, thoracic region      |
| M51.35  | Other intervertebral disc degeneration, thoracolumbar region |
| M51.36  | Other intervertebral disc degeneration, lumbar region        |
| M51.37  | Other intervertebral disc degeneration, lumbosacral region   |
| M54.31  | Sciatica, right side   |
| M54.32  | Sciatica, left side  |
| M54.41  | Lumbago with sciatica, right side                            |
| M54.42  | Lumbago with sciatica, left side                             |
| M96.1   | Postlaminectomy syndrome, not elsewhere classified           |
| M96.2   | Postradiation kyphosis                                       |
| M96.3   | Postlaminectomy kyphosis                                     |
| M96.4   | Postsurgical lordosis  |
| M96.5   | Postradiation scoliosis                                      |